

		Kvalitet	1.4301	1.4306	1.4307	1.4401	1.4404	1.4541	1.4571
Spoljni prečnik	Unutrašnji	AISI	304	304L	304L	316	316L	321	316Ti
	prečnik	kg/m							
32	16	4,81	▪	▪	▪	▪	▪		▪
32	20	3,91	▪	▪	▪	▪	▪	▪	▪
36	16	6,51	▪	▪	▪	▪	▪		▪
36	20	5,61	▪	▪	▪	▪	▪	▪	▪
36	25	4,20	▪	▪	▪	▪	▪	▪	▪
40	20	7,51	▪	▪	▪	▪	▪	▪	▪
40	25	6,10	▪	▪	▪	▪	▪	▪	▪
40	28	5,11	▪	▪	▪	▪	▪	▪	▪
45	20	10,17	▪	▪	▪	▪	▪	▪	▪
45	25	8,76	▪	▪	▪				
45	28	7,77	▪	▪	▪	▪	▪	▪	▪
45	32	6,27	▪	▪	▪	▪	▪	▪	▪
50	25	11,74	▪	▪	▪	▪	▪		▪
50	28	10,74	▪	▪	▪				
50	32	9,24	▪	▪	▪	▪	▪	▪	▪
50	36	7,54	▪	▪	▪	▪	▪	▪	▪
50	40	5,63	▪	▪	▪				▪
56	20	17,13	▪	▪	▪				
56	25	15,72	▪	▪	▪				
56	28	14,72	▪	▪	▪	▪	▪	▪	▪
56	30	14,00	▪	▪	▪				
56	36	11,52	▪	▪	▪	▪	▪	▪	▪
56	40	9,62	▪	▪	▪	▪	▪	▪	▪
56	45	6,95	▪	▪	▪				▪
60	40	12,52	▪	▪	▪	▪	▪	▪	▪
60	45	9,86	▪	▪	▪				▪
63	32	18,44	▪	▪	▪	▪	▪	▪	▪
63	36	16,73	▪	▪	▪	▪	▪		▪
63	40	14,83	▪	▪	▪	▪	▪	▪	▪
63	45	12,17	▪	▪	▪	▪	▪		▪
63	50	9,20	▪	▪	▪	▪	▪	▪	▪
70	50	15,02	▪	▪	▪				▪
71	36	23,44	▪	▪	▪	▪	▪	▪	▪
71	40	21,54	▪	▪	▪	▪	▪		▪
71	45	18,88	▪	▪	▪	▪	▪	▪	▪
71	56	11,93	▪	▪	▪	▪	▪	▪	▪
75	40	25,20	▪	▪	▪	▪	▪		▪
75	50	19,56	▪	▪	▪	▪	▪		
75	56	15,58	▪	▪	▪				▪
75	60	12,68	▪	▪	▪	▪	▪		▪

		Kvalitet	1.4301	1.4306	1.4307	1.4401	1.4404	1.4541	1.4571
Spoljni prečnik	Unutrašnji prečnik	AISI	304	304L	304L	316	316L	321	316Ti
		kg/m							
80	40	30,05	▪	▪	▪	▪	▪	▪	▪
80	45	27,39	▪	▪	▪	▪	▪	▪	▪
80	50	24,41	▪	▪	▪	▪	▪	▪	▪
80	63	15,22	▪	▪	▪	▪	▪	▪	▪
85	45	32,55	▪	▪	▪	▪	▪	▪	▪
90	50	35,06	▪	▪	▪	▪	▪	▪	▪
90	56	31,07	▪	▪	▪	▪	▪	▪	▪
90	63	25,86	▪	▪	▪	▪	▪	▪	▪
90	68	21,76				▪	▪		▪
90	71	19,15	▪	▪	▪	▪	▪	▪	▪
95	50	40,85	▪	▪	▪	▪	▪		▪
100	56	42,97	▪	▪	▪	▪	▪	▪	▪
100	63	37,75	▪	▪	▪	▪	▪	▪	▪
100	71	31,04	▪	▪	▪	▪	▪	▪	▪
100	80	22,54	▪	▪	▪	▪	▪	▪	▪
106	56	50,71	▪	▪	▪	▪	▪	▪	▪
106	63	45,49	▪	▪	▪	▪	▪		▪
106	71	38,78	▪	▪	▪	▪	▪	▪	▪
106	80	30,27	▪	▪	▪	▪	▪	▪	▪
106	85	25,11							▪
106	90	19,63	▪	▪	▪				
112	63	53,68	▪	▪	▪	▪	▪		▪
112	71	46,97	▪	▪	▪	▪	▪	▪	▪
112	80	38,46	▪	▪	▪	▪	▪	▪	▪
112	90	27,82	▪	▪	▪	▪	▪	▪	▪
112	95	22,03							▪
118	63	62,32	▪	▪	▪	▪	▪	▪	▪
118	71	55,61	▪	▪	▪	▪	▪		▪
118	80	47,10	▪	▪	▪	▪	▪		▪
118	90	36,46	▪	▪	▪	▪	▪	▪	▪
125	71	66,26	▪	▪	▪	▪	▪	▪	▪
125	80	57,75	▪	▪	▪	▪	▪		▪
125	90	47,11	▪	▪	▪	▪	▪	▪	▪
125	100	35,21	▪	▪	▪	▪	▪	▪	▪
132	71	77,52	▪	▪	▪	▪	▪	▪	▪
132	80	69,01	▪	▪	▪	▪	▪	▪	▪
132	90	58,37	▪	▪	▪	▪	▪	▪	▪
132	106	38,74	▪	▪	▪	▪	▪	▪	▪
140	80	82,63	▪	▪	▪	▪	▪	▪	▪
140	90	71,00							

		Kvalitet	1.4301	1.4306	1.4307	1.4401	1.4404	1.4541	1.4571
Spoljni prečnik	Unutrašnji prečnik	AISI	304	304L	304L	316	316L	321	316Ti
		kg/m							
140	100	60,10	▪	▪	▪	▪	▪	▪	▪
140	106	52,36	▪	▪	▪				
140	112	44,17	▪	▪	▪	▪	▪	▪	▪
150	80	100,79	▪	▪	▪	▪	▪	▪	▪
150	95	84,35	▪	▪	▪	▪	▪		▪
150	106	70,51	▪	▪	▪	▪	▪	▪	▪
150	112	62,32	▪	▪	▪	▪	▪		▪
150	125	43,04	▪	▪	▪	▪	▪	▪	▪
150	132	31,78	▪	▪	▪				▪
160	90	109,55	▪	▪	▪	▪	▪		▪
160	112	81,73	▪	▪	▪	▪	▪	▪	▪
160	120	70,11	▪	▪	▪	▪	▪	▪	▪
160	132	51,18	▪	▪	▪	▪	▪	▪	▪
170	100	118,31	▪	▪	▪				
170	106	110,58	▪	▪	▪	▪	▪	▪	▪
170	118	93,75	▪	▪	▪	▪	▪	▪	▪
170	130	75,12	▪	▪	▪	▪	▪	▪	▪
170	140	58,22	▪	▪	▪	▪	▪	▪	▪
175	145	60,10							▪
180	125	105,01	▪	▪	▪	▪	▪	▪	▪
180	130	97,03	▪	▪	▪	▪	▪		▪
180	140	80,13	▪	▪	▪	▪	▪		▪
180	150	61,97	▪	▪	▪	▪	▪	▪	▪
190	106	155,65	▪	▪	▪	▪	▪		▪
190	123	131,28	▪	▪	▪	▪	▪	▪	▪
190	132	116,91	▪	▪	▪	▪	▪		▪
190	140	103,29	▪	▪	▪	▪	▪	▪	▪
190	150	85,14	▪	▪	▪	▪	▪		▪
190	160	65,73	▪	▪	▪	▪	▪	▪	▪
200	140	127,70	▪	▪	▪	▪	▪	▪	▪
200	150	109,55	▪	▪	▪				▪
200	160	90,14	▪	▪	▪	▪	▪	▪	▪
200	170	69,49	▪	▪	▪	▪	▪		
212	130	175,56	▪	▪	▪	▪	▪	▪	▪
212	150	140,50	▪	▪	▪	▪	▪	▪	▪
212	170	100,44	▪	▪	▪	▪	▪		▪
212	180	78,53	▪	▪	▪				
224	140	191,41	▪	▪	▪	▪	▪	▪	▪
224	160	153,85	▪	▪	▪	▪	▪		▪
224	170	133,19	▪	▪	▪				▪

		Kvalitet	1.4301	1.4306	1.4307	1.4401	1.4404	1.4541	1.4571
Spoljni prečnik	Unutrašnji	AISI	304	304L	304L	316	316L	321	316Ti
	prečnik	kg/m							
224	180	111,28	▪	▪	▪	▪	▪	▪	▪
236	150	207,81	▪	▪	▪	▪	▪	▪	▪
236	190	122,67	▪	▪	▪	▪	▪	▪	▪
240	170	179,66	▪	▪	▪	▪	▪		▪
250	200	140,85	▪	▪	▪	▪	▪	▪	▪
275	200	223,01				▪	▪		
300	200	313,00	▪		▪	▪	▪		
340	200	473,26	▪		▪	▪	▪		
380	230	572,79	▪		▪	▪	▪		
400	300	438,20	▪		▪	▪	▪		
420	300	540,86	▪		▪	▪	▪		